



1331 17<sup>th</sup> Street, Suite 1100  
Denver, Colorado 80202  
tel: 303 295-1237  
fax: 303 295-1895

SDMS Document ID



1020121

February 10, 2006


Ms. Peggy Churchill  
Remedial Project Manager  
U.S. Environmental Protection Agency  
Region VIII, Mail Code (EPA-SR)  
999 18<sup>th</sup> Street, Suite 500  
Denver, Colorado 80202-2405

Subject: Draft Summary Report for the St. John's Lutheran Hospital Rehabilitation Center and Helipad Field, Contaminant Screening Study, Libby Asbestos Site, Operable Unit 4

Dear Ms. Churchill:

CDM Federal Programs Corporation (CDM) is pleased to submit the draft summary report for the St. John's Lutheran Hospital Rehabilitation Center and Helipad Field investigations. If you have any questions or concerns, please call me at (720) 264-1116.

Very truly yours,



Jeff Montera  
Project Manager  
CDM Federal Programs Corporation

cc: Jim Christiansen, EPA, Denver  
Mike Cirian, EPA, Libby  
John McGuiggin, Volpe, Cambridge  
Courtney Zamora, Volpe, Libby  
Jean O'Brien, Cambridge  
Jeff Montera, CDM, Denver  
Terry Crowell, CDM, Libby